

API Documentation

TMail – Temporary Multi Domain Email System

By Harshit Peer

List of Domains

URL

[https://yourdomain.com/actions.php?action=getDomains&apikey=\[yourkey\]](https://yourdomain.com/actions.php?action=getDomains&apikey=[yourkey])

Parameters

Key	Value
action	getDomains
apikey	Key which you may have set in your Admin Panel of TMail Installation. In case you have not set that, you can keep this blank

Sample Response

```
[  
  "kealed.cf",  
  "bavfau.gq"  
]
```

Create Email ID

URL

[https://yourdomain.com/user.php?user=\[emailID\]&apikey=\[yourkey\]](https://yourdomain.com/user.php?user=[emailID]&apikey=[yourkey])

Parameters

Key	Value
user	Based on the domains available you can send a generated email ID. If this parameter is not specified, system will generate a random email ID and return that.

Sample Response

harshit@bavfau.ga

Fetch Emails

URL

[https://yourdomain.com/mail.php?email=\[emailID\]&apikey=\[yourkey\]](https://yourdomain.com/mail.php?email=[emailID]&apikey=[yourkey])

Parameters

Key	Value
email	Pass the returned email ID from above step in order to receive emails related to that ID.
apikey	Key which you may have set in your Admin Panel of TMail Installation. In case you have not set that, you can keep this blank

Result

Above API call will provide a JSON response with all details of all emails in the inbox of particular email ID. It will provide file name and link to download for Attachments. It will also provide links Delete and Download emails. Make sure you append your API key (like **&apikey=[yourkey]**) to the end of Delete and Download URLs.

Sample Response (with Attachments)

```
[
  {
    "textPlain": "API Test with Attachments\r\n",
    "textHtml": "\r\nAPI Test with Attachments</div></div>\r\n",
    "id": 7,
    "date": "2018-12-26 04:11:39",
    "headersRaw": "Return-Path: .....",
    "headers": {
      "date": "Wed, 26 Dec 2018 14:41:39 +0530",
      "Date": "Wed, 26 Dec 2018 14:41:39 +0530",
      "subject": "API Testing with Attachments",
      "Subject": "API Testing with Attachments",
      "message_id": "",
      "toaddress": "harshit@bavfau.gq",
      "to": [
        {
          "mailbox": "harshit",
          "host": "bavfau.gq"
        }
      ],
      "fromaddress": "Harshit Peer ",
      "from": [
        {
          "personal": "Harshit Peer",
          "mailbox": "harshit",
          "host": "gmail.com"
        }
      ]
    }
  }
]
```

```

],
"reply_toaddress": "Harshit Peer ",
"reply_to": [
  {
    "personal": "Harshit Peer",
    "mailbox": "harshit",
    "host": "gmail.com"
  }
],
"senderaddress": "Harshit Peer ",
"sender": [
  {
    "personal": "Harshit Peer",
    "mailbox": "harshit",
    "host": "gmail.com"
  }
]
},
"subject": "API Testing with Attachments",
"fromName": "Harshit Peer",
"fromAddress": "harshit@gmail.com",
"to": {
  "harshit@bavfau.gq": null
},
"toString": "harshit@bavfau.gq",
"cc": [],
"bcc": [],
"replyTo": {
  "harshit@gmail.com": "Harshit Peer"
},
"messageld": "",
"tmail_attachments": [
  [
    "Readmetxt",

    "http://envato.stackants.com/tmail/demo/modern/attachments/harshit@bavfau.gq/8/Readme.txt"
  ]
],
"tmail_delete_url":
"http://envato.stackants.com/tmail/demo/modern/actions.php?action=delete&id=8&email=harshit@bavfau.gq",
"tmail_download_url":
"http://envato.stackants.com/tmail/demo/modern/actions.php?action=download&id=8&email=harshit@bavfau.
gq"
}
]

```

Sample Response (without Attachments)

```
[
  {
    "textPlain": "API Test\r\n",
    "textHtml": "\r\nAPI Test</div></div>\r\n",
    "id": 7,
    "date": "2018-12-26 04:11:39",
    "headersRaw": "Return-Path: .....",
    "headers": {
      "date": "Wed, 26 Dec 2018 14:41:39 +0530",
      "Date": "Wed, 26 Dec 2018 14:41:39 +0530",
      "subject": "API Testing",
      "Subject": "API Testing",
      "message_id": "",
      "toaddress": "harshit@bavfau.gq",
      "to": [
        {
          "mailbox": "harshit",
          "host": "bavfau.gq"
        }
      ],
      "fromaddress": "Harshit Peer ",
      "from": [
        {
          "personal": "Harshit Peer",
          "mailbox": "harshit",
          "host": "gmail.com"
        }
      ],
      "reply_toaddress": "Harshit Peer ",
      "reply_to": [
        {
          "personal": "Harshit Peer",
          "mailbox": "harshit",
          "host": "gmail.com"
        }
      ],
      "senderaddress": "Harshit Peer ",
      "sender": [
        {
          "personal": "Harshit Peer",
          "mailbox": "harshit",
          "host": "gmail.com"
        }
      ]
    },
    "subject": "API Testing",
    "fromName": "Harshit Peer",
    "fromAddress": "harshit@gmail.com",
    "to": {
      "harshit@bavfau.gq": null
    },
    "toString": "harshit@bavfau.gq",
    "cc": [],
    "bcc": [],
    "replyTo": {
```

TMail – Temporary Multi Domain Email System

```
"harshit@gmail.com": "Harshit Peer"
},
"messageId": "",
"tmail_attachments": [],
"tmail_delete_url":
"http://envato.stackants.com/tmail/demo/modern/actions.php?action=delete&id=7&email=harshit@bavfau.gq",
"tmail_download_url":
"http://envato.stackants.com/tmail/demo/modern/actions.php?action=download&id=7&email=harshit@bavfau.
gq"
}
]
```